

Safety Data Sheet

Acetic Anhydride

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Acetic Anhydride

Synonyms/Generic Names: None

SDS Number: 4.50

Product Use: For Educational Use Only

Manufacturer: Columbus Chemical Industries, Inc.

N4335 Temkin Rd. Columbus, WI. 53925

For More Information Contact: Ward's Science

5100 West Henrietta Rd. PO Box 92912-9012 Rochester, NY 14692

(800) 962-2660 (Monday-Friday 7:30-7:00 Eastern Time)

In Case of Emergency Call: CHEMTREC - 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

2. HAZARDS IDENTIFICATION

OSHA Hazards: Combustible liquid, Toxic by inhalation, Harmful ingestion, Corrosive

Other Hazards: Lachrymator, Reacts violently with water

Target Organs: None

Signal Words: Danger

Pictograms:







GHS Classification:

Flammable liquids	Category 3
Acute toxicity, Oral	Category 4
Acute toxicity, Inhalation	Category 3
Acute toxicity, Dermal	Category 5
Skin corrosion	Category 1B
Serious eye damage	Category 1

Revised on 06/19/2013 Page 1 of 6

GHS Label Elements, including precautionary statements:

Hazard Statements:

H226	Flammable liquid and vapor.	
H302	Harmful if swallowed.	
H313	May be harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H331	Toxic if inhaled.	

Precautionary Statements:

P261	Avoid breathing dust/gas/fume/vapors/spray/mist.		
P280	Wear protective gloves/protective clothing/face protection/eye protection.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses if present and easy to do so. Continue rinsing.		
P310	Immediately call a POISON CENTER or doctor/physician.		

Potential Health Effects

Eyes	Causes eye irritation
Inhalation	Harmful if inhaled. Causes respiratory tract irritation.
Skin	Harmful if absorbed through skin. Causes skin irritation.
Ingestion	May be fatal if swallowed

NFPA Ratings

Health	3
Flammability	2
Reactivity	2
Specific hazard	Not Available

HMIS Ratings

Health	3
Fire	2
Reactivity	2
Personal	Н

3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	Weight %	CAS#	EINECS# / ELINCS#	Formula	Molecular Weight
Acetic Anhydride	>99	108-24-7	203-564-8	$C_4H_6O_3$	102.09 g/mol

4. FIRST-AID MEASURES

Eyes	Rinse with plenty of water for at least 15 minutes and seek medical attention immediately.
Inhalation	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not
	breathing, give artificial respiration. Get medical attention immediately.
Skin	Immediately flush with plenty of water for at least 15 minutes while removing contaminated
	clothing and wash using soap. Get medical attention.
Ingestion	Do Not Induce Vomiting! Never give anything by mouth to an unconscious person. If
	conscious, wash out mouth with water. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Suitable (and unsuitable)	Use water spray, alcohol-resistant foam, dry chemical, or carbon		
extinguishing media	dioxide.		
Special protective equipment	Wear self-contained, approved breathing apparatus and full protective		
and precautions for firefighters	clothing, including eye protection and boots. Flammable in the		
	presence of a source of ignition when temperature is above the flash		
	point. Can react violently with water.		

Revised on 06/19/2013 Page 2 of 6

Specific hazards arising from	Emits toxic fumes under fire conditions. (Carbon oxides) (See also
the chemical	Stability and Reactivity section).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and	See section 8 for recommendations on the use of personal protective equipment.			
emergency procedures				
Environmental precautions	Prevent spillage from entering drains. Any release to the environment			
	may be subject to federal/national or local reporting requirements.			
Methods and materials for containment and cleaning up	Prevent spillage from entering drains. Neutralize spill with sodium bicarbonate or lime. Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.			

7. HANDLING AND STORAGE

Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities). Reacts violently with water.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Acetic Anhydride	c Anhydride 5 ppm 20 mg/m ³		OSHA
	5 ppm 20 mg/m ³	REL	NIOSH
	5 ppm	TLV	ACGIH

TWA: Time Weighted Average over 8 hours of work. TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes. IDLH: Immediately Dangerous to Life or Health WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

Personal Protection

Croonar rotection	
Eyes	Wear chemical safety glasses or goggles with a face shield for splash protection.
Inhalation	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
Skin	Wear nitrile or rubber gloves, and full body, flame retardant, antistatic, protective suit. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Other	Not Available

Revised on 06/19/2013 Page 3 of 6

Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Faintly colored liquid
Odor	Pungent
Odor threshold	Not Available
pH	Not Available
Melting point/freezing point	-73°C (-101°F)
Initial boiling point and boiling range	139°C (282°F)
Flash point	49°C (121°C) – Closed cup
Evaporation rate	0.49
Flammability (solid, gas)	Flammable
Upper/lower flammability or explosive limit	Lower: 2.9%, Upper: 10.3%
Vapor pressure	4 mmHg (@ 20°C)
Vapor density	3.5 (Air=1)
Relative density	Not Available
Solubility (ies)	Soluble in water
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	316°C (600°F)
Decomposition temperature	Not Available

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Possibility of Hazardous Reactions	Will not occur.
Conditions to Avoid	Heat, ignition sources, moisture.
Incompatible Materials	Acids, alcohols, bases, oxidizing agents, reducing agents,
	powdered metals.
Hazardous Decomposition Products	Carbon oxides

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Skin	LD50 Dermal – rabbit – 4,320 mg/kg
Eyes	Not Available
Respiratory	LC50 Inhalation – rat – 4 hours – 4,200 mg/m ³
Ingestion	LD50 Oral – rat – 1,780 mg/kg

Carcinogenicity

IARC	No component of this product present at levels greater than or equal to 0.1% is identified
	as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Revised on 06/19/2013 Page 4 of 6

Signs & Symptoms of Exposure

Skin	Burning, irritation, inflammation and/or edema of exposed tissues.
Eyes	Burning, irritation.
Respiratory	Burning, coughing, wheezing, shortness of breath, headache, nausea, vomiting, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema.
Ingestion	Burning, nausea, vomiting.

Chronic Toxicity	Not Available
Teratogenicity	Not Available
Mutagenicity	Not Available
Embryotoxicity	Not Available
Specific Target Organ Toxicity	Not Available
Reproductive Toxicity	Not Available
Respiratory/Skin Sensitization	Not Available

12. ECOLOGICAL INFORMATION

Ecotoxicity

=00.0 M. U. V.	
Aquatic Vertebrate	LC50 – Leuciscus idus melanotus – 265 mg/l – 48 hours
Aquatic Invertebrate	EC50 – Daphnia magna (Water flea) – 55 mg/l – 96 hours
Terrestrial	Not Available

Persistence and Degradability	Not Available
Bioaccumulative Potential	Not Available
Mobility in Soil	Not Available
PBT and vPvB Assessment	Not Available
Other Adverse Effects	Not Available

13. DISPOSAL CONSIDERATIONS

Waste Residues	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste products or residues.
Product	Users should review their operations in terms of the applicable federal/national or
Containers	local regulations and consult with appropriate regulatory agencies if necessary
	before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

14. TRANSPORTATION INFORMATION

US DOT	UN1715, Acetic anhydride, 8, (3), pg II
TDG	UN1715, ACETIC ANHYDRIDE, 8, (3), PG II
IMDG	UN1715, ACETIC ANHYDRIDE, 8, (3), PG II
Marine Pollutant	No
IATA/ICAO	UN1715, Acetic anhydride, 8, (3), pg II

Revised on 06/19/2013 Page 5 of 6

15. REGULATORY INFORMATION

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	Not Listed
SARA 304	Not Listed
SARA 311	Fire Hazard, Acute Health Hazard
SARA 312	Fire Hazard, Acute Health Hazard
SARA 313	Not Listed
WHMIS Canada	Class B-3: Combustible liquid.
	Class E: Corrosive liquid.

6. OTHER INFORMATION

Revision	Date
Revision 1	01/28/2013
Revision 2	06/19/2013

Disclaimer: Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.

Revised on 06/19/2013 Page 6 of 6