

DOD Hazardous Materials Information System
DoD 6050.5-L
AS OF July 1998

FSC: 6850
NIIN: 00D007362
Manufacturer's CAGE: BLUEC
Part No. Indicator: A
Part Number/Trade Name: TIRE SHINE, 765-2584

=====

General Information

=====

Item Name:
Company's Name: BLUE CORAL, INC.
Company's Street: 5300 HARVARD AVENUE
Company's P. O. Box:
Company's City: CLEVELAND
Company's State: OH
Company's Country: US
Company's Zip Code: 44105
Company's Emerg Ph #: 216-641-5490
Company's Info Ph #: 216-641-5490
Distributor/Vendor # 1: BALKAMP INC (317-248-0760)
Distributor/Vendor # 1 Cage: 70842
Distributor/Vendor # 2: NAPA AUTO PARTS (317-241-2351)
Distributor/Vendor # 2 Cage: 0NBN5
Distributor/Vendor # 3:
Distributor/Vendor # 3 Cage:
Distributor/Vendor # 4:
Distributor/Vendor # 4 Cage:
Safety Data Action Code: A
Safety Focal Point: D
Record No. For Safety Entry: 001
Tot Safety Entries This Stk#: 001
Status: SE
Date MSDS Prepared: 23APR93
Safety Data Review Date: 15APR98
Supply Item Manager: CX
MSDS Preparer's Name: UNKNOWN
Preparer's Company:
Preparer's St Or P. O. Box:
Preparer's City:
Preparer's State:
Preparer's Zip Code:
Other MSDS Number:
MSDS Serial Number: CGLNY
Specification Number: UNKNOWN
Spec Type, Grade, Class: UNKNOWN
Hazard Characteristic Code: F1
Unit Of Issue: EA
Unit Of Issue Container Qty: 12 OZ
Type Of Container: AEROSOL CAN
Net Unit Weight: 0.8 LB

Report for NIIN: 00D007362

NRC/State License Number: NOT RELEVANT
Net Explosive Weight: N/R
Net Propellant Weight-Ammo: N/R
Coast Guard Ammunition Code: N/R

=====

Ingredients/Identity Information

=====

Proprietary: NO
 Ingredient: XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA)
 Ingredient Sequence Number: 01
 Percent: UNKNOWN
 Ingredient Action Code: A
 Ingredient Focal Point: D
 NIOSH (RTECS) Number: ZE2100000
 CAS Number: 1330-20-7
 OSHA PEL: 100 PPM
 ACGIH TLV: 100 PPM/150STEL;9596
 Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
 Ingredient: ACETONE (SARA 313) (CERCLA)
 Ingredient Sequence Number: 02
 Percent: UNKNOWN
 Ingredient Action Code: A
 Ingredient Focal Point: D
 NIOSH (RTECS) Number: AL3150000
 CAS Number: 67-64-1
 OSHA PEL: 1000 PPM
 ACGIH TLV: 750PPM/1000STEL;9596
 Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
 Ingredient: PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA 313) (CERCLA)
 Ingredient Sequence Number: 03
 Percent: UNKNOWN
 Ingredient Action Code: A
 Ingredient Focal Point: D
 NIOSH (RTECS) Number: KX3850000
 CAS Number: 127-18-4
 OSHA PEL: 100 PPM, Z-2
 ACGIH TLV: 25PPM/100STEL,A3; 96
 Other Recommended Limit: NONE RECOMMENDED

Proprietary: NO
 Ingredient: PROPANE
 Ingredient Sequence Number: 04
 Percent: UNKNOWN
 Ingredient Action Code: A
 Ingredient Focal Point: D
 NIOSH (RTECS) Number: TX2275000
 CAS Number: 74-98-6
 OSHA PEL: 1000 PPM
 ACGIH TLV: ASPHYXIAN; 9596

Report for NIIN: 00D007362

Other Recommended Limit: NONE RECOMMENDED

=====

Physical/Chemical Characteristics

=====

Appearance And Odor: AEROSOL SPRAY - CHLORINATED SOLVENT ODOR
 Boiling Point: <0F PROPELL
 Melting Point: UNKNOWN
 Vapor Pressure (MM Hg/70 F): 3604
 Vapor Density (Air=1): >1
 Specific Gravity: UNKNOWN
 Decomposition Temperature: UNKNOWN

Evaporation Rate And Ref: UNKNOWN
 Solubility In Water: NONE
 Percent Volatiles By Volume: 95
 Viscosity: UNKNOWN
 pH: N/R
 Radioactivity: NOT RELEVANT
 Form (Radioactive Matl):
 Magnetism (Milligauss): N/P
 Corrosion Rate (IPY): UNKNOWN
 Autoignition Temperature: N/K

=====

Fire and Explosion Hazard Data

=====

Flash Point: FLAMMABL AEROSOL
 Flash Point Method: TCC
 Lower Explosive Limit: UNKNOWN
 Upper Explosive Limit: UNKNOWN
 Extinguishing Media: CARBON DIOXIDE, FOAM, SAND/DRY CHEMICAL. AVOID
 SPREADING ANY BURNING LIQUID WITH WATER SPRAY. WATER MAY BE INEFFECTIVE.
 Special Fire Fighting Proc: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-
 APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS
 WITH WATER SPRAY.
 Unusual Fire And Expl Hazrds: SPRAY CANS UNDER PRESSURE. EXTREMELY
 FLAMMABLE. EXPLOSION HAZARD EXISTS WHEN SPRAY CANS HEATED. DO NOT ENTER
 SPRAY CAN STORAGE AREA IF FIRE PRESENT.

=====

Reactivity Data

=====

Stability: YES
 Cond To Avoid (Stability): HIGH HEAT, OPEN FLAMES, DIRECT SUNLIGHT,
 TEMPERATURES ABOVE 120F
 Materials To Avoid: UNKNOWN
 Hazardous Decomp Products: HYDROGEN CHLORIDE, CARBON MONOXIDE, CARBON
 DIOXIDE
 Hazardous Poly Occur: NO
 Conditions To Avoid (Poly): NOT RELEVANT

=====

Health Hazard Data

=====

LD50-LC50 Mixture: ORAL LD50 (RAT) IS UNKNOWN
 Route Of Entry - Inhalation: YES
 Route Of Entry - Skin: NO

Report for NIIN: 00D007362

Route Of Entry - Ingestion: NO
 Health Haz Acute And Chronic: TARGET ORGANS:EYES, SKIN, CNS, LUNGS. ACUTE-
 EXCESSIVE INHALATION IS HARMFUL. VAPORS IN HIGH CONCENTRATIONS ARE
 ANESTHETIC. MAY CAUSE IRRITATION OF EYES, SKIN & UPPER RESPIRATORY TRACT.
 INGESTION UNLIKELY. CHRONIC- MAY CAUSE SKIN DEFATTING.
 Carcinogenicity - NTP: YES
 Carcinogenicity - IARC: YES
 Carcinogenicity - OSHA: NO
 Explanation Carcinogenicity: CONTAINS PERCHLOROETHYLENE.
 Signs/Symptoms Of Overexp: IRRITATION, HEADACHE, DIFFICULTY IN BREATHING,
 NAUSEA, DIZZINESS, LOSS OF CONSCIOUSNESS, SKIN DEFATTING, BLURRED VISION
 Med Cond Aggravated By Exp: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE
 PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO
 THE EFFECTS OF THIS PRODUCT.
 Emergency/First Aid Proc: GET MEDICAL HELP IF SYMPTOMS PERSIST.
 INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH

WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER.
 INGESTION:DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. NEVER
 GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====

Precautions for Safe Handling and Use

=====

Steps If Matl Released/Spill: LEAKING CONTAINERS SHOULD BE PLACED
 OUTDOORS, IN AN OPEN CONTAINER, AWAY FROM SOURCES OF IGNITION. ALLOW
 PRESSURE TO DISSIPATE. VENTILATE AREA. ABSORB LIQUID WITH NON-FLAMMABLE
 ABSORBENT MATERIALS AND PLACE IN CONTAINER FOR DISPOSAL.
 Neutralizing Agent: NOT RELEVANT
 Waste Disposal Method: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
 FEDERAL REGULATIONS. DO NOT PUNCTURE, INCINERATE SPRAY CANS. DISPOSE OF
 EMPTY CANS IN TRASH PICK-UP. DO NOT PLACE IN HOME TRASH COMPACTOR.
 Precautions-Handling/Storing: STORE SPRAY CANS IN COOL, WELL VENTILATED
 AREAS AWAY FROM SOURCES OF IGNITION AND SUNLIGHT. DO NOT STORE ABOVE 120F.
 Other Precautions: EXTREMELY FLAMMABLE. "EMPTY" CONTAINERS RETAIN RESIDUE
 AND CAN BE DANGEROUS. FOLLOW ALL LABEL INSTRUCTIONS. AVOID REPEATED/
 PROLONGED SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE
 VAPORS.

=====

Control Measures

=====

Respiratory Protection: IF TLV IS EXCEEDED, WEAR NIOSH-APPROVED ORGANIC
 VAPOR RESPIRATOR OR AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-
 APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.
 Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF)
 VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).
 Protective Gloves: RUBBER, NEOPRENE
 Eye Protection: CHEMICAL SAFETY GOGGLES
 Other Protective Equipment: EYE WASH STATION & SAFETY SHOWERS SHOULD BE
 AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE.
 Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
 RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR DRINKING.
 Suppl. Safety & Health Data: EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE.
 CONTAINS GAS SIMILAR TO PROPANE AND FLAMMABLE LIQUID. DO NOT USE IN
 CONFINED AREA OR AREA WITH LITTLE AIR MOVEMENT. EMPLOY MEANS TO PREVENT

Report for NIIN: 00D007362

VAPOR BUILDUP.

=====

Transportation Data

=====

Transportation Action Code: A
 Transportation Focal Point: D
 Trans Data Review Date: 98105
 DOT PSN Code: DTJ
 DOT Symbol: D
 DOT Proper Shipping Name: CONSUMER COMMODITY
 DOT Class: ORM-D
 DOT ID Number:
 DOT Pack Group:
 DOT Label: NONE
 DOT/DoD Exemption Number: NOT RELEVANT
 IMO PSN Code: AKD
 IMO Proper Shipping Name: AEROSOLS o
 IMO Regulations Page Number: 2102
 IMO UN Number: 1950
 IMO UN Class: 2(T)
 IMO Subsidiary Risk Label: T

IATA PSN Code: ALS
 IATA UN ID Number: 1950
 IATA Proper Shipping Name: AEROSOLS, 30, *
 IATA UN Class: 2.1
 IATA Subsidiary Risk Class:
 IATA Label: FLAMMABLE GAS
 AFI PSN Code: ALR
 AFI Symbols: *
 AFI Prop. Shipping Name: AEROSOLS, FLAMMABLE, N.O.S.
 AFI Class: 2.1
 AFI ID Number: UN1950
 AFI Pack Group:
 AFI Label:
 AFI Special Prov: P4
 AFI Basic Pac Ref: A6.3
 MMAC Code:
 N.O.S. Shipping Name: CONTAINS XYLENE, ACETONE, PERCHLOROETHYLENE,
 PROPANE.
 Additional Trans Data: DOT SHIPPING NAME, HAZARD CLASS PER MSDS.

=====

Disposal Data

=====

Disposal Data Action Code:
 Disposal Data Focal Point:
 Disposal Data Review Date:
 Rec # For This Disp Entry:
 Tot Disp Entries Per NSN:
 Landfill Ban Item:
 Disposal Supplemental Data:
 1st EPA Haz Wst Code New:
 1st EPA Haz Wst Name New:
 1st EPA Haz Wst Char New:

Report for NIIN: 00D007362

1st EPA Acute Hazard New:
 2nd EPA Haz Wst Code New:
 2nd EPA Haz Wst Name New:
 2nd EPA Haz Wst Char New:
 2nd EPA Acute Hazard New:
 3rd EPA Haz Wst Code New:
 3rd EPA Haz Wst Name New:
 3rd EPA Haz Wst Char New:
 3rd EPA Acute Hazard New:

=====

Label Data

=====

Label Required: YES
 Technical Review Date: 15APR98
 Label Date:
 MFR Label Number: UNKNOWN
 Label Status: F
 Common Name: TIRE SHINE, 765-2584
 Chronic Hazard: N/P
 Signal Word: DANGER!
 Acute Health Hazard-None:
 Acute Health Hazard-Slight:
 Acute Health Hazard-Moderate: X
 Acute Health Hazard-Severe:
 Contact Hazard-None:
 Contact Hazard-Slight: X

Contact Hazard-Moderate:
Contact Hazard-Severe:
Fire Hazard-None:
Fire Hazard-Slight:
Fire Hazard-Moderate:
Fire Hazard-Severe: X
Reactivity Hazard-None: X
Reactivity Hazard-Slight:
Reactivity Hazard-Moderate:
Reactivity Hazard-Severe:
Special Hazard Precautions: TARGET ORGANS:EYES, SKIN, CNS, LUNGS. ACUTE-
VAPORS IN HIGH CONCENTRATIONS ARE ANESTHETIC. MAY CAUSE IRRITATION OF EYES,
SKIN & UPPER RESPIRATORY TRACT. INGESTION UNLIKELY. CHRONIC- MAY CAUSE SKIN
DEFATTING. STORE IN COOL, VENTILATED AREAS AWAY FROM SOURCES OF IGNITION.
DO NOT STORE ABOVE 120F. ABSORB SPILL WITH NON-FLAMMABLE ABSORBENT
MATERIALS AND PLACE IN CONTAINER FOR DISPOSAL. FIRST AID- GET MEDICAL HELP
IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF
NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:
WASH WITH SOAP & WATER. INGESTION:DO NOT INDUCE VOMITING. GET MEDICAL
ATTENTION IMMEDIATELY.
Protect Eye: Y
Protect Skin: Y
Protect Respiratory:
Label Name: BLUE CORAL, INC.
Label Street: 5300 HARVARD AVENUE
Label P.O. Box:
Label City: CLEVELAND

Report for NIIN: 00D007362

Label State: OH
Label Zip Code: 44105
Label Country: US
Label Emergency Number: 216-641-5490
Year Procured: