

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 21-Mar-2011

Revision Date 23-Jun-2015

Revision Number 3

1. Identification

Product Name

Acetic anhydride

Cat No.:

A10-1; A10-100; A10-4; A10-500; A10-500LC; A10-RS50; A10-SS200

Synonyms

Acetyl oxide, Acetic acid anhydride, Acetic oxide, Ethanoic anhydride

Recommended Use

Laboratory chemicals.

Uses advised against

No Information available

Details of the supplier of the safety data sheet

Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100 **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/irritation

Serious Eye Damage/Eye Irritation

Specific target organ toxicity (single exposure)

Target Organs - Respiratory system.

Category 3

Category 3

Category 3

Label Elements

Signal Word

Danger

Hazard Statements

Flammable liquid and vapor Harmful if swallowed Fatal if inhaled Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing **Ingestion**

Rinse mouth

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Lachrymator (substance which increases the flow of tears)

Reacts with water and forms acetic acid

3. Composition / information on ingredients

Component	CAS-No	Weight %		
Acetic anhydride	108-24-7	>95		

4. First-aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes, Immediate medical attention is required.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth Inhalation

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

respiratory medical device. Immediate medical attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Most important symptoms/effects Causes burns by all exposure routes. Breathing difficulties. Product is a corrosive material.

Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of overexposure may be headache,

dizziness, tiredness, nausea and vomiting

Treat symptomatically Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire

with water spray.

Unsuitable Extinguishing Media

DO NOT USE WATER

Flash Point

49 °C / 120.2 °F

Method -

Closed cup

Autoignition Temperature

Explosion Limits

316 °C / 600.8 °F

10.3 vol %

Upper Lower

2.9 vol %

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Corrosive Material. Water reactive. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Carbon monoxide (CO) Carbon dioxide (CO2)

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 3

Flammability

Instability 1

Physical hazards

W

6. Accidental release measures

Personal Precautions Use personal protective equipment. Evacuate personnel to safe areas. Remove all sources

of ignition. Take precautionary measures against static discharges. Avoid contact with skin,

eyes and inhalation of vapors.

Environmental Precautions Should not be released into the environment. See Section 12 for additional ecological

information.

Up

Methods for Containment and Clean Remove all sources of ignition. Do not expose spill to water. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and

explosion-proof equipment.

7. Handling and storage

Handling

Use only under a chemical fume hood. Wear personal protective equipment. Keep away

from open flames, hot surfaces and sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not breathe vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Do not allow contact with water.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep away from water. Flammables area.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetic anhydride	TWA: 1 ppm	(Vacated) Ceiling: 5 ppm	IDLH: 200 ppm
	STEL: 3 ppm	(Vacated) Ceiling: 20 mg/m ³	Ceiling: 5 ppm
		TWA: 5 ppm	Ceiling: 20 mg/m ³
		TWA: 20 mg/m ³	

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV	
Acetic anhydride	TWA: 5 ppm	TWA: 5 ppm	TWA: 1 ppm	
	TWA: 21 mg/m ³	TWA: 20 mg/m ³	STEL: 3 ppm	

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location. Use explosion-proof

electrical/ventilating/lighting/equipment.

Personal Protective Equipment

Eve/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Liquid **Physical State Appearance** Colorless Odor pungent

Odor Threshold No information available

Melting Point/Range -73.1 °C / -99.6 °F

140 °C / 284 °F @ 760 mmHg **Boiling Point/Range**

49 °C / 120.2 °F Flash Point

Closed cup Method -**Evaporation Rate** 0.46

Not applicable Flammability (solid,gas) Flammability or explosive limits

Upper 10.3 vol % Lower 2.9 vol %

Vapor Pressure 5 mbar @ 20 °C Vapor Density Relative Density

Solubility
Partition coefficient; n-octanol/water

Autoignition Temperature Decomposition Temperature

Viscosity

Molecular Formula Molecular Weight 3.5 1.087

No information available No data available 316 °C / 600.8 °F No information available 0.91 mPa.s at 20 °C

C4 H6 O3 102.09

10. Stability and reactivity

Reactive Hazard

Yes

Stability

Stable under recommended storage conditions. Moisture sensitive. Reacts violently with

water

Conditions to Avoid

Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Exposure to moist air or water.

Incompatible Materials

Oxidizing agents, Strong acids, Strong bases, Water, Strong reducing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Component Information

I	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1	Acetic anhydride	630 mg/kg (Rat)	4000 mg/kg (Rabbit)	LC100: 1.67 mg/L/6h (Rat)
-1		3 3 \ , ,		LC50: 400 ppm/6h (Rat)

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Causes burns by all exposure routes

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Acetic anhydride	108-24-7	Not listed				

Mutagenic Effects

Not mutagenic in AMES Test

Reproductive Effects

No information available.

Developmental Effects

No information available.

Teratogenicity

No information available.

STOT - single exposure

Respiratory system

STOT - repeated exposure

None known

Aspiration hazard

No information available

Acetic anhydride Revision Date 23-Jun-2015

delayed

Symptoms / effects, both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms

of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Endocrine Disruptor Information

No information available

Other Adverse Effects

See actual entry in RTECS for complete information.

12. Ecological information

Ecotoxicity

Reacts with water so no ecotoxicity data for the substance is available. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Co	mponent	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Aceti	ic anhydride	Not listed	265 mg/L LC50 48 h	Not listed	55 mg/L EC50 = 24 h

Persistence and Degradability **Bioaccumulation/ Accumulation** Persistence is unlikely based on information available.

No information available.

Mobility

Component	log Pow
Acetic anhydride	-0.27

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN1715

Proper Shipping Name ACETIC ANHYDRIDE

Hazard Class Subsidiary Hazard Class 3 **Packing Group** II

TDG

UN-No UN1715

Proper Shipping Name ACETIC ANHYDRIDE

Hazard Class 8 Subsidiary Hazard Class 3 **Packing Group** 11

IATA

UN-No UN1715

Proper Shipping Name ACETIC ANHYDRIDE

Hazard Class Subsidiary Hazard Class 3 11 **Packing Group**

IMDG/IMO

UN-No UN1715

Proper Shipping Name ACETIC ANHYDRIDE

Hazard Class Subsidiary Hazard Class 3 Packing Group 11

15. Regulatory information

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Acetic anhydride	Х	Х	-	203-564-8	2		X	Х	X	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, I.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Not applicable

SARA 313

Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard Yes

Clean Water Act

Component	CWA - Hazardous Substances	CWA - Reportable Quantitles	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic anhydride	X	5000 lb		

Clean Air Act

Not applicable

OSHA Occupational Safety and Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Acetic anhydride	5000 lb	趨則

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Acetic anhydride	X	Х	X	72	Х

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

B3 Combustible liquid D1A Very toxic materials E Corrosive material



16. Other information

Prepared By

Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date

21-Mar-2011

Revision Date

23-Jun-2015

Print Date

23-Jun-2015

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS)

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS